



**OFFER OF SOURCE FOR
OPEN SOURCE SOFTWARE**

1.0.0 | February 2019 | 3725-85896-001A

Polycom Studio USB Video Bar



Copyright© 2019, Polycom, Inc. All rights reserved. No part of this document may be reproduced, translated into another language or format, or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Polycom, Inc.

6001 America Center Drive
San Jose, CA 95002
USA

Trademarks

Polycom®, the Polycom logo and the names and marks associated with Polycom products are trademarks and/or service marks of Polycom, Inc. and are registered and/or common law marks in the United States and various other countries.



All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of Polycom.

Disclaimer

While Polycom uses reasonable efforts to include accurate and up-to-date information in this document, Polycom makes no warranties or representations as to its accuracy. Polycom assumes no liability or responsibility for any typographical or other errors or omissions in the content of this document.

Limitation of Liability

Polycom and/or its respective suppliers make no representations about the suitability of the information contained in this document for any purpose. Information is provided "as is" without warranty of any kind and is subject to change without notice. The entire risk arising out of its use remains with the recipient. In no event shall Polycom and/or its respective suppliers be liable for any direct, consequential, incidental, special, punitive or other damages whatsoever (including without limitation, damages for loss of business profits, business interruption, or loss of business information), even if Polycom has been advised of the possibility of such damages.

End User License Agreement

By installing, copying, or otherwise using this product, you acknowledge that you have read, understand and agree to be bound by the terms and conditions of the [End User License Agreement](#) for this product. The EULA for this product is available on the Polycom Support page for the product.

Patent Information

The accompanying product may be protected by one or more U.S. and foreign patents and/or pending patent applications held by Polycom, Inc.

Open Source Software Used in this Product

This product may contain open source software. You may receive the open source software from Polycom up to three (3) years after the distribution date of the applicable product or software at a charge not greater than the cost to Polycom of shipping or distributing the software to you. To receive software information, as well as the open source software code used in this product, contact Polycom by email at OpenSourceVideo@polycom.com.

Customer Feedback

We are striving to improve our documentation quality and we appreciate your feedback. Email your opinions and comments to DocumentationFeedback@polycom.com.

Polycom Support

Visit the [Polycom Support Center](#) for End User License Agreements, software downloads, product documents, product licenses, troubleshooting tips, service requests, and more.

Contents

| | |
|---|----------|
| Offer of Source for Open Source Software | 4 |
| Open Source Software..... | 4 |
| License Information..... | 4 |
| Get Help..... | 9 |
| Polycom and Partner Resources | 9 |
| The Polycom Community..... | 9 |

Offer of Source for Open Source Software

You may have a Polycom Studio from Polycom that contains software from the open source community that must be licensed under the specific license terms applicable to the software.

For at least three years from the date of distribution of the applicable product or software, we will give to anyone who contacts us using the contact information provided below, for a charge of no more than our cost of physically distributing, one of the following items (a) A copy of the complete corresponding machine-readable source code for programs listed in this document or (b) A copy of the corresponding machine-readable source code for the libraries listed in this document, as well as the executable object code of the Polycom work with which that the library links.

The software included or distributed for the Polycom Companion, including any software that may be downloaded electronically via the internet or otherwise. (the "Software") is licensed, not sold.

Open Source Software

The Polycom Studio uses several open source software packages. The packages containing the source code and the licenses for all of the open-source software are available upon request by contacting Open.Source@polycom.com.

License Information

The following table contains license information for the open source software packages used in the Polycom Studio. Note that the source code and the licenses for all the open-source software are available upon request. This list is provided as a convenient reference.

Open Source Software License Information

| <i>Software</i> | <i>Version</i> | <i>License</i> | <i>Link</i> |
|-----------------|----------------|----------------|--|
| alsa driver | 1.1.0 | Apache v2 | https://source.android.com/ |
| alsa-lib | 1.1.0 | GPL v2.1 | ftp://ftp.alsa-project.org/pub/lib/ |
| alsa-utils | 1.1.0 | GPL v2 | ftp://ftp.alsa-project.org/pub/utils/ |
| Android | 7.1.1 | Apache v2 | https://source.codeaurora.org/quic/la/platform/manif est/tag/?h=LA.UM.5.3.r1-08402-8x53.0 |
| audio utils | | Apache v2 | https://source.android.com/ |
| audio route | | Apache v2 | https://source.android.com/ |
| av-frameworks | | Apache v2 | http://source.android.com/ |
| base-frameworks | | Apache v2 | https://source.android.com/ |
| Bionic | 4.4 | Apache v2 | https://source.android.com/ |
| binder | | Apache v2 | http://source.android.com/ |

| <i>Software</i> | <i>Version</i> | <i>License</i> | <i>Link</i> |
|--------------------------|----------------|------------------------|---|
| bluedroid | 4.4 | Apache v2 | https://source.android.com/ |
| boost | 1.47.0 | Boost Software License | https://www.boost.org/users/history/version_1_47_0.html |
| bt-app | | Apache v2 | http://source.android.com/ |
| bt-property | | Apache v2 | http://source.android.com/ |
| bzip2 | 1.0.6 | BSD-like | http://source.android.com/ |
| cairo | | GPL v3 | http://source.android.com/ |
| camera-qcom | | BSD-like | http://source.codeaurora.org |
| core-system | | Apache v2 | http://source.android.com/ |
| cryptodev-linux | | GPL v2 | http://source.android.com/ |
| dalvik VM | 4.4 | Apache v2 | http://source.android.com/ |
| dbus | 1.4.0 | GPL v2 | http://source.android.com/ |
| dfu-util | 1.1 | GPL v2 | https://sourceforge.net/p/dfu-util/dfu-util/ci/master/tree/ |
| dhcpcd | 5.2.10 | BSD-like | http://source.android.com/ |
| dnsmasq | 2.51 | GPL v2 | http://source.android.com/ |
| eventbus | 3.0.0-beta1 | Apache v2 | https://github.com/greenrobot/EventBus |
| expat | 2.1.0 | MIT License | http://sourceforge.net/projects/expat/files/expat/2.1.0/expat-2.1.0.tar.gz/download |
| ext4-utils | | Apache v1.1 | http://source.android.com/ |
| fluoride | | Apache v1.1 | http://source.android.com/ |
| freetype | | GPL v2 | http://source.android.com/ |
| gdbm | | GPL v3 | http://source.android.com/ |
| glib-2.0 | 2 | GPL v2 | http://archives.fedoraproject.org/pub/archive/fedora/linux/releases/ |
| gson | 2.2.4 | Apache v2 | https://github.com/google/gson |
| hostap-daemon- qcacld | | BSD-like | http://source.android.com/ |
| init-audio | | BSD-like | http://source.android.com/ |
| init-ifupdown | | GPL v2 | http://source.android.com/ |

| <i>Software</i> | <i>Version</i> | <i>License</i> | <i>Link</i> |
|-----------------|----------------|-----------------------|---|
| initscripts | | GPL v2 | https://source.android.com/ |
| init-mss | | BSD-like | http://source.android.com/ |
| initscripts | | GPL v2 | http://source.android.com/ |
| iptables | 1.4.7 | GPL v2 | http://source.android.com/ |
| json-c | 0.9.0 | MIT License | https://github.com/json-c/json-c |
| keymaps | | GPL v2.1 | http://source.android.com/ |
| libav | | GPL v2 | https://source.android.com/ |
| libbt-vendor | | Apache v1.1 | https://source.android.com/ |
| libcutils | | Apache v1.1 | https://source.android.com/ |
| libffi | | BSD-like | http://source.android.com/ |
| libgui | | Apache v2 | http://source.android.com/ |
| libhardware | | Apache v1.1 | https://source.android.com/ |
| libical | | GPL v2.1 | https://source.android.com/ |
| liblog | | Apache v1.1 | https://source.android.com/ |
| libmimicrypt | | Apache v1.1 | https://source.android.com/ |
| libnl | | GPL v2.1 | https://source.android.com/ |
| libpng | | BSD-like | http://source.android.com/ |
| libpcap | | BSD-like | https://source.android.com/ |
| libpcrc | | BSD-like | https://source.android.com/ |
| libselinux | | Public Domain License | https://source.codeaurora.org/ |
| libsndfile1 | | GPL v2.1 | http://source.android.com/ |
| libsparse | | Apache v1.1 | http://source.android.com/ |
| libtheora | | BSD-like | http://source.android.com/ |
| libusb | | GPL v2.1 | http://source.android.com/ |
| libui | | Apache v2 | http://source.android.com/ |
| libxml2 | | MIT License | http://source.android.com/ |
| libyuv | 1.419 | BSD-like | https://chromium.googlesource.com/libyuv/libyuv |
| libunwind | | MIT License | http://source.android.com/ |

| <i>Software</i> | <i>Version</i> | <i>License</i> | <i>Link</i> |
|-------------------------------|----------------|-----------------------|---|
| linux | 3.18.44 | GPL v2 | https://source.codeaurora.org/ |
| modutils-initscripts | | Public Domain License | https://source.codeaurora.org/ |
| native-frameworks | | Apache v1.1 | https://source.codeaurora.org/ |
| ncurses | | MIT License | http://source.android.com/ |
| netbase | | GPL v2 | https://source.codeaurora.org/ |
| openGL | 3.0.0 | BSD-like | https://www.khronos.org/ |
| open-source-kernel-tests | | BSD-like | https://source.codeaurora.org/ |
| openssl | 1.0.2d | OpenSSL | http://www.openssl.org/source/openssl-1.0.2d.tar.gz |
| Opencv_java3 | 3.2.0 | BSD-like | https://github.com/opencv/opencv |
| OpenSLES | 1.0.1 | Apache v2 | https://www.khronos.org/opensles/ |
| opkg-utils | | GPL v2 | http://source.android.com/ |
| ping | 4.0.0 | BSD-like | http://source.android.com/ |
| qmmf-sdk | | BSD-like | http://source.android.com/ |
| qmmf-support | | Apache v1.1 | http://source.android.com/ |
| readline | | GPL v2 | http://source.android.com/ |
| reboot-daemon | | BSD-like | https://source.codeaurora.org/ |
| seetaface | 1.1 | BSD-like | https://github.com/seetaface/SeetaFaceEngine |
| shadow | | BSD-like | http://source.android.com/ |
| shadow-securetty | | MIT License | http://source.android.com/ |
| speexresampler | 1.2rc1 | BSD-like | https://android.googlesource.com/platform/external/speex/ |
| sqlite3 | | Apache v2 | http://source.android.com/ |
| start-scripts-find-partitions | | BSD-like | http://source.android.com/ |
| start-scripts-firmware-links | | BSD-like | http://source.android.com/ |
| system-core | | Apache v1.1 | https://source.codeaurora.org/ |
| system-media | | Apache v1.1 | https://source.codeaurora.org/ |
| system-prop | | BSD-like | https://source.codeaurora.org/ |

| <i>Software</i> | <i>Version</i> | <i>License</i> | <i>Link</i> |
|------------------|----------------|----------------|---|
| sysvinit | | GPL v2 | https://source.codeaurora.org/ |
| sysvinit-inittab | | GPL v2 | https://source.codeaurora.org/ |
| tcpdump | | BSD-like | http://source.android.com/ |
| tensorflow | 1.8.0 | Apache v2 | https://github.com/tensorflow/tensorflow |
| tinypalsa | 2.1 | BSD-like | https://github.com/tinypalsa/tinypalsa |
| tinycompress | 2 | BSD-like | http://source.android.com/ |
| udev | | GPL v2 | https://source.codeaurora.org/ |
| update-rc.d | | GPL v2 | http://source.android.com/ |
| util-linux | | GPL v2 | https://source.codeaurora.org/ |
| u-boot | | GPL v2 | http://www.gnu.org/licenses/old-licenses/gpl-2.0.html |
| wcns | | BSD-like | http://source.android.com/ |
| wireless-tools | | GPL v2 | http://source.android.com/ |
| wlan-opensource | | BSD-like | http://source.android.com/ |
| wpa-suplicant | | BSD-like | http://source.android.com/ |
| x264 | | GPL v2 | https://source.codeaurora.org/ |
| zlib | 1.2.3 | zlib License | http://www.zlib.net |

Get Help

For more information about installing, configuring, and administering Polycom products, refer to Documents and Downloads at [Polycom Support](#).

Polycom and Partner Resources

To find all Polycom partner solutions, see [Strategic Global Partner Solutions](#).

The Polycom Community

The [Polycom Community](#) gives you access to the latest developer and support information. Participate in discussion forums to share ideas and solve problems with your colleagues. To register with the Polycom Community, simply create a Polycom online account. When logged in, you can access Polycom support personnel and participate in developer and support forums to find the latest information on hardware, software, and partner solutions topics.