

Release Notes

Polycom® Converged Management Application™ (CMA™)
Desktop for Mac OS X, Version 5.0.0



Polycom is pleased to announce the release of Polycom® Converged Management Application™ (CMA™) Desktop for Mac OS X, Version 5.0.0. This document provides the latest information about the Polycom CMA Desktop for Mac OS X system and version 5.0.0 software.

For more information about using the features described in this document, refer to the product documentation available at www.polycom.com/videodocumentation.

Installing and Using Polycom CMA Desktop for Mac OS X, Version 5.0.0

Your local administrator will provide the information you need to download the Polycom CMA Desktop for Mac OS X software.

Polycom CMA Desktop for Mac OS X is installed on the partition that includes Mac OS X Snow Leopard.

To install Polycom CMA Desktop for Mac OS X:

>> Double-click PolycomCMAD5.0.0.xxxx.dmg to start the installation, and follow the prompts on the screen.

To uninstall Polycom CMA Desktop for Mac OS X:

>> Go to **Applications/Polycom** and double-click PolycomCMADUninstaller.

For more information about using Polycom CMA Desktop for Mac OS X, click the **Help** menu.

Starting Polycom CMA Desktop for Mac OS X

You can use your credentials to sign in to one Polycom CMA Desktop for Windows or Polycom CMA Desktop for Mac OS X system at a time. If you are signed in on one system, be sure to sign out before you attempt to sign on to another system.



If you use a VPN, you must connect to the VPN before starting Polycom CMA Desktop.

To start Polycom CMA Desktop for Mac OS X:

>> Go to **Applications/Polycom** and double-click Polycom CMA Desktop.



To make sure you are always ready to send or receive calls, do the following:

- Go to **Polycom CMA Desktop > Preferences > Sign In** and configure the application to start and sign you in when the system starts.
- Go to **Applications/Polycom** and drag the Polycom CMA Desktop for Mac OS X icon to the dock.

Getting Started with Polycom CMA Desktop for Mac OS X

Polycom CMA Desktop is simple and intuitive to use. To get started, here are some things you can try.

- Add people to your Contacts list.
 1. Click the Directory ().
 2. Start typing a name.
 3. The system shows you all entries that contain the characters you enter as you type. If your system is configured for manual searching, click the search button to start the search.

For example, if you type and, your search may find entries such as Andrew Jones, Christine Anderson, or Andover Conference Room.

Tip: For faster searches in large Directories, click ▼ and choose the Group that contains the person you're looking for, if you know it.
 4. Click the name of the person you want to add.
 5. Click **Add to Contacts**.
- Call someone. Try either of the following:
 - Click a name in your Contacts list or your Recent Calls, and then click **Call**.

- Type a name or number, and then click  **Call**.



The Directory includes current Polycom CMA Desktop users whom you can call, as well as people whose accounts are not yet active. A Polycom CMA Desktop account is activated when the person signs in for the first time. If you want to call a person whose account is not activated, tell him or her to activate the account by signing in. You can then locate the user in the Directory and place a call.

Features in Version 5.0.0

The Polycom CMA Desktop for Mac OS X client is an easy-to-use video conferencing application that lets you see and hear the people you call.

Polycom CMA Desktop for Mac OS X allows you to:

- Create a Contacts list by selecting names from the Polycom CMA directory or your corporate directory, if your administrator has enabled it.
- Launch a video call by clicking a Contact.
- Connect to a variety of video conferencing systems, including personal, room, and immersive telepresence solutions.
- Experience high-quality visual communications.
- Configure a variety of preferences to suit the way you work. For example, you can choose whether to view your video preview before you place a call.

This release of Polycom CMA Desktop for Mac OS X is optimized for use in a Polycom-solutions-only environment including the most current versions of Polycom RMX® 2000/4000 platform, Polycom HDX® systems, and Polycom CMA™ Desktop solutions, and the Polycom CMA 4000/5000 server. Calls between Polycom CMA Desktop for Mac OS X and other equipment may not connect with full features and capabilities. See [“Feature Limitations”](#) on page 4 for specific examples.

Platform-specific Limitations

Support for the following features are not included in this software version:

- Automatic signin using network credentials
- Automatic software upgrade
- Content sharing
- Chat
- Ability to view presence for Contacts
- Ability to show others your presence

- Alphabetically sorted groups
- Contact details
- Call history included with Contact details
- Date and time displayed for Recent Calls
- Provisioned custom logo
- Starting a call automatically by clicking a callto: link
- Notification Log
- Capabilities list on the Preferences > Processor page
- Support for dual monitors
- Audio and video packet loss recovery (Polycom Video Error Concealment and Dynamic Bandwidth Allocation)

Feature Limitations


The following table lists the known feature limitations for this software version. If a workaround is available, it is noted in the table.

Feature	Issue ID	Found in Release	Description	Workaround
Audio	VIDEO-82895	5.0.0	When Polycom CMA Desktop is in a call, frequently changing the audio input device may cause a crash. This setting is found at Preferences > Audio .	Avoid frequent changes to the audio input device setting during calls.
Audio	VIDEO-82602	5.0.0	You may occasionally experience audio breakage in calls.	None
Audio	VIDEO-82599 VIDEO-82884	5.0.0	On some systems, using the built-in speakers and microphone may cause audio problems or echo.	Use earphones instead of the built-in speakers. You can also use a headset instead of the built-in microphone and speakers.
Audio		5.0.0	If you use a control on the local audio device to mute your audio, Polycom CMA Desktop may not always correctly show that the microphone is muted.	For best results, use the Polycom CMA Desktop mute button to mute your audio.
Audio	VIDEO-82878	5.0.0	In calls with a Polycom CMA Desktop for Windows system, the audio may lag slightly behind the video.	None.
Calling		5.0.0	Starting and ending calls using the control buttons on Polycom Communicator™ is not supported.	This is not yet supported.

Feature	Issue ID	Found in Release	Description	Workaround
Camera		5.0.0	When you start Polycom CMA Desktop, the system cannot access the camera if it is in use by another application.	Shut down the other application and do one of the following: <ul style="list-style-type: none"> Go to Preferences > Video and select the camera. Shut down and restart Polycom CMA Desktop.
Contacts	VIDEO-81707	5.0.0	When the Polycom CMA server software is reinstalled, your Contacts are no longer valid.	Delete your Contacts and recreate your Contacts list.
Content	VIDEO-82560 VIDEO-82868 VIDEO-81713	5.0.0	Polycom CMA Desktop for Mac OS X can receive content only when it is sent on the People stream. <ul style="list-style-type: none"> Polycom CMA Desktop for Mac OS X cannot receive content from endpoints and bridges that use H.239 or Polycom People+Content™ IP to send content on the content channel. Polycom CMA Desktop for Mac OS X can receive content from endpoints and bridges that can send content on the people channel. 	None
General	VIDEO-82715	5.0.0	On a Mac OS X system with multiple CPU cores, CPU utilization is displayed as the sum of the utilization percentages of all cores. For example, 100% utilization of 4 cores displays 400% CPU utilization. Because of this, Polycom CMA Desktop running on a system with multiple cores may display CPU usage over 100%.	This is normal system behavior.
General	VIDEO-82965	5.0.0	On a system on a wireless network with both Polycom CMA Desktop for Mac OS X and iTunes running, Polycom CMA Desktop for Mac OS X may be unresponsive when the system resumes from sleep.	Avoid running Polycom CMA Desktop for Mac OS X and iTunes at the same time.
H.323		5.0.0	Running other H.323 applications along with Polycom CMA Desktop for Mac OS X may cause conflicts.	Shut down other H.323 applications before running Polycom CMA Desktop for Mac OS X.
Installing and Uninstalling	VIDEO-82218	5.0.0	When the Polycom CMA Desktop system is updated, your custom settings are returned to the default values. Your Contacts list is saved.	To retain all custom settings when you upgrade your software, choose Customize on the Installation Type page of the installation wizard. Then, clear the Property List checkbox.

Feature	Issue ID	Found in Release	Description	Workaround
Installing and Uninstalling	VIDEO-81938	5.0.0	If you move the Polycom CMA Desktop for Mac OS X application files after installing, the uninstaller cannot uninstall the application.	Avoid moving the application files after you install.
Installing and Uninstalling	VIDEO-81938	5.0.0	After you uninstall Polycom CMA Desktop, all minimized pages for other applications are maximized.	None
Interoperability: Aethra	VIDEO-82887	5.0.0	In calls using an Aethra MCU, you may see black video after Polycom HDX joins the call.	Interoperability with this third party endpoint is not yet supported.
Interoperability: Aethra	VIDEO-82881	5.0.0	When you call Polycom CMA Desktop for Mac OS X from an Aethra system, the call connects very slowly. Audio connects first, and some time later, video connects.	Interoperability with this third party endpoint is not yet supported.
Interoperability: LifeSize	VIDEO-82886	5.0.0	In calls with LifeSize systems, you may see gray video.	Interoperability with this third party endpoint is not yet supported.
Interoperability: Polycom HDX systems	VIDEO-82926	5.0.0	Under some circumstances, when Polycom CMA Desktop for Mac OS X is in a multipoint call hosted by a Polycom HDX system, the other endpoints may see very poor video when they view the Polycom CMA Desktop video full screen.	On the Polycom HDX system, disable Polycom Video Error Concealment. To do this, go to System > Admin Settings > Network > IP > Quality of Service and disable the Enable PVEC setting.
Interoperability: Polycom MGC™	VIDEO-82683	5.0.0	In calls using the Polycom MGC, the video is gray and pixelated.	None
Interoperability: Polycom RMX® 2000	VIDEO-83035	5.0.0	When you connect with the Polycom RMX, you may briefly see gray video before you see the welcome screen.	None
Interoperability: Polycom RSS™ 2000	VIDEO-82890	5.0.0	In calls to the Polycom RSS 2000, the video from the RSS 2000 may flash occasionally.	None
Interoperability: Polycom RSS 4000	VIDEO-82889	5.0.0	When you use Polycom CMA Desktop for Mac OS X to view streamed video or an archived stream from the Polycom RSS 4000, you may see pixelated video.	None
Interoperability: Polycom VSX® 7000 systems	VIDEO-82871	5.0.0	In calls with Polycom VSX 7000 systems, Polycom CMA Desktop for Mac OS X connects by audio in calls that do not use the H.264 algorithm.	For video calls with a Polycom VSX 7000 system, use the following call speeds: <ul style="list-style-type: none"> Up to 784 kbps for VSX systems using a TV monitor Up to 512 kbps for VSX systems using a VGA monitor

Feature	Issue ID	Found in Release	Description	Workaround
Interoperability: Polycom VSX 7000 systems	VIDEO-82867	5.0.0	In a multipoint call hosted by Polycom VSX 7000 or VSX 7000e, Polycom CMA Desktop for Mac OS X switches to an audio-only connection when participants that do not support the H.264 algorithm join the call. Polycom CMA Desktop continues audio only after the other participants disconnect.	None
Interoperability: Polycom VVX®	VIDEO-82877	5.0.0	Calls from Polycom CMA Desktop for Mac OS X to Polycom VVX business media phones connect with audio only.	None
Interoperability: Sony	VIDEO-82883	5.0.0	You may experience poor audio in calls with Sony PCS-G50.	Interoperability with this third party endpoint is not yet supported.
Multipoint	VIDEO-81713	5.0.0	When Polycom CMA Desktop for Mac OS X is in a multipoint call using an MGC with transcoding disabled, the conference switches to audio when an endpoint which does not support H.264 joins.	None
Multipoint	VIDEO-82872	5.0.0	In calls to Polycom MGC, Polycom CMA Desktop for Mac OS X can participate by audio if any algorithm other than H.264 is in use.	None
Network	VIDEO-82039	5.0.0	Polycom CMA Desktop for Mac OS X cannot access the CMA server using the Polycom VBP™ network appliance.	None
Network	VIDEO-82041	5.0.0	If you disconnect from the default network adapter during a call, the system attempts to connect using another adapter. You see a duplicate alias message and then the system connects with the other adapter.	Avoid changing the network adapter during a call.
Signing In and Out	VIDEO-83087	5.0.0	User names and passwords cannot contain Unicode characters.	Create user names and passwords that do not contain Unicode characters.
Signing In and Out		5.0.0	The system may fail to connect to a Polycom CMA 5000 system with NTLMv2 disabled.	None
Signing In and Out	VIDEO-82797	5.0.0	On a system running Polycom CMA Desktop, if you put the system in sleep mode and then wake the system, Polycom CMA Desktop restarts and signs you in again, regardless of your settings for starting automatically or remembering your password.	This is normal system behavior.
User Interface	VIDEO-82875	5.0.0	When you create a group, it displays at the end of your Contacts list.	None

Feature	Issue ID	Found in Release	Description	Workaround
User Interface	VIDEO-82927	5.0.0	When you receive a call from an endpoint that requires encryption for all calls, the call does not connect and you see a message that the call could not be completed because of security or permission issues. When this happens, you can no longer make calls using main call button.	Do one of the following to restore the main call button function: <ul style="list-style-type: none"> • Sign out and sign in again. • Place a call by double-clicking a Contact or Recent Call. • Place a call from the Directory using the Directory's Call button. • Answer an incoming call that does not require encryption.
Video	VIDEO-82793 VIDEO-82794	5.0.0	In calls that do not use the H.264 algorithm for video, Polycom CMA Desktop for Mac OS X can participate by audio only. Endpoints and MCUs that support H.264 for video calls may sometimes use other algorithms for video calls. See Troubleshooting Video Problems in this document for more information.	None
Video	VIDEO-82267	5.0.0	Dual monitors are not supported in this version.	None
Video	VIDEO-82873	5.0.0	You may see video artifacts when a far-end participant moves against a bright background.	None
Video	VIDEO-82549	5.0.0	As the call connects, the call rate displayed on the Preferences > Diagnostics > Call Statistics page may briefly show a very high rate.	The rate displays correctly after the call is established.
Video	VIDEO-82888	5.0.0	In calls with third-party endpoints, you see green or pink video.	None
Video	VIDEO-82988	5.0.0	Under some circumstances, when Polycom CMA Desktop for Mac OS X is in a multipoint call hosted by a Polycom HDX system, the other endpoints may briefly see green video when the video switches to a different participant.	On the Polycom HDX system, disable Polycom Video Error Concealment and Dynamic Bandwidth Allocation. To do this: <ol style="list-style-type: none"> 1 Go to System > Admin Settings > Network > IP > Quality of Service and disable the Enable PVEC setting. 2 Select  and disable the Dynamic Bandwidth setting.
Video	VIDEO-80653	5.0.0	When a participant at the far site moves, you may observe reduced video quality.	None

Hardware and Software Requirements

These hardware and software requirements have been determined based on test scenarios. Your system's actual performance may vary based on software or hardware configurations.

Operating System	Mac OS X 10.6 Snow Leopard
Processor	<p>Polycom CMA Desktop for Mac OS X system's capabilities vary depending on processor performance. The processor types and speeds listed below are intended as reference guides. Polycom CMA Desktop for Mac OS X has equivalent capabilities on other processors with equivalent performance.</p> <p>Basic video (Up to QVGA)</p> <ul style="list-style-type: none"> • Core Duo 1.83 GHz and higher <p>Standard video (Up to CIF)</p> <ul style="list-style-type: none"> • 2.0 GHz <p>Premium video (Up to VGA)</p> <ul style="list-style-type: none"> • Core Duo 2 GHz and higher
RAM	2 GB
Video Memory	256 MB
Hard Drive Space	30 MB
Cameras	<p>USB 2.0 Web Cameras:</p> <ul style="list-style-type: none"> • iSight built-in camera • Logitech Quickcam Vision Pro for Mac <p>Note: Polycom has fully qualified the USB devices listed above for interoperation with Polycom CMA Desktop for Mac OS X. Other Macintosh USB devices may also work with Polycom CMA Desktop for Mac OS X.</p>
Audio Devices	Built-in microphones and speakers
Monitor	XGA, 16-bit color or higher
Network Access	Network 128 kbps and above (Cable, DSL, or LAN)
VPN Client	<p>The VPN client:</p> <ul style="list-style-type: none"> • Must appear in the Mac system's network adapter list. • Must allow Polycom CMA Desktop for Mac OS X to retrieve the VPN client's IP address from the adapter. • Must not block any ports required by Polycom CMA Desktop. For a list of ports, see Inbound and Outbound Ports, later in this document.
Polycom CMA System	Software version 5.00.00 or 4.01.04 with NTLMv2 support enabled

Interoperability

The following list indicates the products that have been tested for compatibility with this release:

Type	Product	Version
Management Systems	Polycom CMA 4000, CMA 5000	5.0.0
Gatekeeper, Gateways, External MCU, Bridges, Call Managers	Polycom CMA 4000, CMA 5000	5.0.0
	Polycom DMA 7000	2.0.0
	Polycom RMX 4000/2000	6.0
	Polycom RMX 1000	2.1.0
Endpoints	Polycom HDX	2.5.0.8, 2.6.0
	Polycom CMA Desktop	5.0

Supported Protocols, Algorithms, and Ports

Protocols

This version of Polycom CMA Desktop for Mac OS X supports the following protocols:

Protocol	Description
DNS	Domain Name System
H.281	Far End Camera Control (FECC)
H.323	Signaling
LDAP H.350	Directory services
NTLMv2	Authentication

Video Resolutions

This version of Polycom CMA Desktop for Mac OS X supports the following resolutions for People video:

Call Speed	Video Format	Resolution
64 kbps - 383 kbps	QVGA	320x240
384 kbps - 511 kbps	2QVGA (HVGA)	320x480
512 kbps - 1023 kbps	VGA	640x480



Actual transmitted video resolution is determined by several factors, such as camera capability, computer performance, network conditions, the far-end system's capabilities, and whether content is being sent or received.

Algorithms

This version of Polycom CMA Desktop for Mac OS X supports the following algorithms:

Algorithm Type	Description
Audio	G.711
Video	H.264

Inbound and Outbound Ports

This version of Polycom CMA Desktop for Mac OS X uses the following inbound and outbound ports:

Inbound Ports

Port	Function
1720 (TCP)	H.245 Signaling
1719 (UDP)	Remote Access Service (RAS)
3230-3245 (TCP)	Signaling
3230 - 3245 (UDP)	Media

Outbound Ports

Port	Function
443 (TCP)	Provisioning, Monitoring, Help Files, HTTPS
389 (TCP)	LDAP

Improving Video Quality

Factors Affecting Video Quality

A number of factors can affect video quality, including the quality and design of your camera, your camera settings, your video window size, and lighting conditions. If your video preview shows reduced quality in your local video, be sure to address these problems, if possible. Any deficiencies you see locally may be magnified when the video is sent to the far end. Video problems may be more obvious when the video is expanded to fill the full screen.

Troubleshooting Video Problems

Problems with Video Quality

If you're experiencing problems with your local video, try the following:

- If you are using CMA Desktop on a laptop, ensure that the laptop is connected to a power source. Running on battery power can reduce the laptop's performance, resulting in poor video quality or no video.
- Check your camera configuration.
 - Polycom CMA Desktop transmits video at the frame rate that it receives from the camera. Several factors affect the frame rate transmitted by a camera, including camera settings and lighting. Consult the camera's documentation for information about adjusting the camera's settings.
 - Turn off special camera features that require extra image processing. These features might include automatic focus or automatic.

Problems with No Video

- Check your firewall configuration. To do this, follow these steps:

- Go to **System Preferences > Security > Firewall > Advanced**.
- Add the Polycom CMA Desktop application to the list.
- Select **Allow incoming connections**.
- Check the algorithm used for the call. Polycom CMA Desktop for Mac OS X uses H.264 to participate in video calls with endpoints, endpoints that can host multipoint calls, and multipoint conferencing units (MCUs), provided the call uses the H.264 algorithm for video. In calls that do not use the H.264 algorithm for video, Polycom CMA Desktop for Mac OS X can participate by audio only.

Endpoints and MCUs that support H.264 for video calls may sometimes use other algorithms for video calls. Polycom CMA Desktop for Mac OS X can participate in these calls by audio only.

- An endpoint may support H.264 only under specific circumstances. For instance, Polycom VSX systems support H.264 at lower call rates, but these systems may drop to H.263 at higher call rates.
- An MCU that supports H.264 may use a different video algorithm if specified by the conference profile or if required for the capabilities of call participants. For instance, an MCU might reconfigure a call to use H.263 or H.261 to accommodate a participant that does not support H.264. Some MCUs, such as Polycom MGC systems, support H.264 at lower call rates, but these systems may drop to H.263 at higher call rates.

Problems with Video Window Size

- If the size of the far-end video seems small, you can resize the far-end video window manually or you can view it full screen. The size of the far-end video window is determined by the resolution or format of the video sent by the far end, so video sent by endpoints that transmit lower resolution video display in a smaller window.

Improving Audio Quality

Factors Affecting Audio Quality

Polycom CMA Desktop uses the built-in Polycom echo canceller which automatically adjusts the audio to prevent the sound of far-end voices from being sent back to the far end.

A number of factors can affect audio quality including the volume of the system, the sensitivity of the microphone, the acoustic qualities of the room, and the acoustic qualities of any audio devices that combine microphone and speakers.

Troubleshooting Audio Problems

- For best audio echo cancellation performance, all audio signal processing should be disabled. If you are experiencing audio issues, make sure audio processing software provided by your computer manufacturer is disabled.
- Enable ambient noise reduction on the system. To do this:
 - a** Go to **System Settings > Sound > Input**.
 - b** Select **Use ambient noise reduction**.
- If you use a separate microphone, ensure that it is connected to a USB port on your computer and not to a USB hub connected to the computer.
- For best microphone performance, place the microphone at a distance from the person who is speaking. Speaking too close to the microphone can cause poor audio quality.

Problems with Echo

If the far end hears echo, try these steps:

- Check your audio device's echo cancellation settings.
If your audio device provides its own echo cancellation, be sure to enable it. Refer to the documentation you received with your device.
- Check your volume.
For most effective echo cancellation, reduce the volume on your system's speakers, and then adjust the sound using the Polycom CMA Desktop volume controls.
- Place the microphone and speakers as far apart as possible.
If you use a laptop's integrated speakers with the laptop's integrated microphone or with a webcam's microphone, connect external speakers to allow you to increase the distance between the microphone and speakers.
- If you still experience echo, use earphones instead of speakers. You can also use a headset instead of a microphone and speakers.

Problems with No Audio

- Check your firewall configuration. To do this, follow these steps:
 - Go to **System Preferences > Security > Firewall > Advanced**.
 - Add the Polycom CMA Desktop application to the list.
 - Select **Allow incoming connections**.

Collecting Diagnostic Information

If you need to report a problem, you may be asked to supply information about your system.

File	Location
Logs	/UserName/Library/Application Support/Polycom/PolycomCMADesktop/PolycomCMADBackup.log
Crash Reports	/UserName/Library/Logs/DiagnosticReports/Polycom CMA Desktop_timestmap_username-imac.crash
Provisioned Data	/UserName/Library/Application Support/Polycom/PolycomCMADesktop/ProvisionData.xml

Related Documentation

For more information, see the *Release Notes for Polycom Converged Management Application 5000*, available at www.polycom.com.

Copyright Information

© 2010 Polycom, Inc. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Polycom, Inc.

Polycom, Inc. retains title to, and ownership of, all proprietary rights with respect to the software contained within its products. The software is protected by United States copyright laws and international treaty provision.

License Issues

c-ares

Copyright 1998 by the Massachusetts Institute of Technology.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

M.I.T. makes no representations about the suitability of this software for any purpose. It is provided “as is” without express or implied warranty.

curl

Copyright (c) 1996 - 2010, Daniel Stenberg, <daniel@haxx.se>.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

Cyrus SASL

Copyright (c) 1994-2003 Carnegie Mellon University. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1 Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2 Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3 The name “Carnegie Mellon University” must not be used to endorse or promote products derived from this software without prior written permission. For permission or any legal details, please contact

Office of Technology Transfer
Carnegie Mellon University

5000 Forbes Avenue
Pittsburgh, PA 15213-3890
(412) 268-4387, fax: (412) 268-7395
tech-transfer@andrew.cmu.edu

- 4 Redistributions of any form whatsoever must retain the following acknowledgment:
"This product includes software developed by Computing Services at Carnegie Mellon University (<http://www.cmu.edu/computing/>)."

CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

OpenLDAP Public License

Version 2.8, 17 August 2003

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

- 1 Redistributions in source form must retain copyright statements and notices,
- 2 Redistributions in binary form must reproduce applicable copyright statements and notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution, and
- 3 Redistributions must contain a verbatim copy of this document.

The OpenLDAP Foundation may revise this license from time to time. Each revision is distinguished by a version number. You may use this Software under terms of this license revision or under the terms of any subsequent revision of the license.

THIS SOFTWARE IS PROVIDED BY THE OPENLDAP FOUNDATION AND ITS CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OPENLDAP FOUNDATION, ITS CONTRIBUTORS, OR THE AUTHOR(S) OR OWNER(S) OF THE SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The names of the authors and copyright holders must not be used in advertising or otherwise to promote the sale, use or other dealing in this Software without specific, written prior permission. Title to copyright in this Software shall at all times remain with copyright holders.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Copyright 1999-2003 The OpenLDAP Foundation, Redwood City, California, USA. All Rights Reserved. Permission to copy and distribute verbatim copies of this document is granted.

XMeeting

Copyright (c) 2005-2006, The XMeeting Project (<http://xmeeting.sourceforge.net/>)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the XMeeting Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Opal VOIP and Ptlib

This product includes the following open source software components, which are each subject to the MPL 1.0 license (included below).

- OpalVOIP
- Ptlib

Where the terms of this license entitle you to the source code of any modifications to these open source software components, such source code will be made available in response to a specific request to the following email address:

opensourcevideo@polycom.com.

MOZILLA PUBLIC LICENSE

Version 1.0

1. Definitions.

- 1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or a list of source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, or as part of a Larger Work; and

(b) under patents now or hereafter owned or controlled by Initial Developer, to make, have made, use and sell ("Utilize") the Original Code (or portions thereof), but solely to the extent that any such patent is reasonably necessary

to enable You to Utilize the Original Code (or portions thereof) and not to any greater extent that may be necessary to Utilize further Modifications or combinations.

2.2. Contributor Grant.

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code or as part of a Larger Work; and

(b) under patents now or hereafter owned or controlled by Contributor, to Utilize the Contributor Version (or portions thereof), but solely to the extent that any such patent is reasonably necessary to enable You to Utilize the Contributor Version (or portions thereof), and not to any greater extent that may be necessary to Utilize further Modifications or combinations.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which you contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If You have knowledge that a party claims an intellectual property right in particular functionality or code (or its utilization under this License), you must include a text file with the source code distribution titled ``LEGAL" which describes the claim and the party making the claim in sufficient detail that a

recipient will know whom to contact. If you obtain such knowledge after You make Your Modification available as described in Section 3.2, You shall promptly modify the LEGAL file in all copies You make available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Your Modification is an application programming interface and You own or control patents which are reasonably necessary to implement that API, you must also include this information in the LEGAL file.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code, and this License in any documentation for the Source Code, where You describe recipients' rights relating to Covered Code. If You created one or more Modification(s), You may add your name as a Contributor to the notice described in Exhibit A. If it is not possible to put such notice in a particular Source Code file due to its structure, then you must include such notice in a location (such as a relevant directory file) where a user would be likely to look for such a notice. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A, and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If you create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), you must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "NPL" or any confusingly similar phrase do not appear anywhere in your license and (b) otherwise make it clear that your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO YOU OR ANY OTHER PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THAT EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in, the United States of America: (a) unless otherwise agreed in writing, all disputes relating to this License (excepting any dispute relating to intellectual property rights) shall be subject to final and binding arbitration, with the losing party paying all costs of arbitration; (b) any arbitration relating to this Agreement shall be held in Santa Clara County, California, under the auspices of JAMS/EndDispute; and (c) any litigation relating to this Agreement shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

Except in cases where another Contributor has failed to comply with Section 3.4, You are responsible for damages arising, directly or indirectly, out of Your utilization of rights under this License, based on the number of copies of Covered Code you made available, the revenues you received from utilizing such rights, and other relevant factors. You agree to work with affected parties to distribute responsibility on an equitable basis.

EXHIBIT A.

``The contents of this file are subject to the Mozilla Public License Version 1.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>
Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.
The Original Code is _____.
The Initial Developer of the Original Code is _____. Portions created by _____ are Copyright (C) _____
_____. All Rights Reserved.
Contributor(s): _____."

Disclaimer

This software is provided 'as is' with no explicit or implied warranties in respect of its properties, including, but not limited to, correctness and fitness for purpose.

Trademark Information

POLYCOM®, the Polycom "Triangles" logo and the names and marks associated with Polycom's products are trademarks and/or service marks of Polycom, Inc. and are registered and/or common law marks in the United States and various other countries. All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of Polycom.