

## Poly Trio C60 System

This document covers the following products:

- Poly Trio C60 system
- Poly Trio C60 NR system
- Poly Trio C60 ND system

Poly Trio C60 and Poly Trio C60 ND systems are radio-enabled devices. The Poly Trio C60 NR system does not contain any radio equipment. All radio certifications and references contained in this document apply to the Poly Trio C60 and Poly Trio C60 ND systems only.

## Governing Law

This Limited Warranty and Limitation of Liability shall be governed by the laws of the State of California, U.S.A., and by the laws of the United States, excluding their conflicts of laws principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty and Limitation of Liability.

All rights reserved under International and Pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent from Polycom, Inc. Do not remove (or allow anybody else to remove) any product identification, copyright, or other notices.

## Limitations of Liability

LIMITATION OF LIABILITY. TO THE FULL EXTENT ALLOWED BY LAW, POLYCOM EXCLUDES FOR ITSELF AND ITS SUPPLIERS ANY LIABILITY, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE, OR INTERRUPTION OF ITS PRODUCTS, EVEN IF POLYCOM OR ITS AUTHORIZED RESELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, AND LIMITS ITS LIABILITY TO REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE.

## Polycom Limited Warranty and Limitation Liability

LIMITED WARRANTY. Polycom warrants to the end user ("Customer") that this product is expected to be free from defects in workmanship and materials, under normal use and service, for one year from the date of purchase from Polycom or its authorized reseller.

Polycom's sole obligation under this express warranty is at Polycom's option and expense, to repair the defective product or part, deliver to Customer an equivalent product or part to replace the defective item, or if neither of the two foregoing options are reasonably available, Polycom may, on its sole discretion, refund to Customer the purchase price paid for the defective product. All products that are replaced will become the property of Polycom. Replacement products or parts may be new or reconditioned.

Polycom is expected to warrant any replaced or repaired product or part for ninety (90) days from shipment, or the remainder of the initial warranty period, whichever is longer. Products returned to Polycom must be sent prepaid and packaged appropriately for safe shipment, and it is recommended that they be insured or sent by a method that provides for tracking of the package. Responsibility for loss or damage does not transfer to Polycom until the returned item is received by Polycom. The repaired or replaced item will be shipped to Customer, at Polycom's expense, not later than thirty (30) days after Polycom receives the defective product, and Polycom will retain risk of loss or damage until the item is delivered to Customer.

The product software comes with 90-day software warranty, providing for software updates (minor releases/bug fixes). To continue to receive support, purchasing a maintenance contract is the most economical solution.

## Exclusions

Poly will not be liable under this limited warranty if its testing and examination disclose that the alleged defect or malfunction in the product does not exist or results from:

- Failure to follow installation, operation, or maintenance instructions provided by Poly.
- Unauthorized product modification or alteration.
- Unauthorized use of common carrier communication services accessed through the product.
- Abuse, misuse, negligent acts, or omissions of Customer and persons under Customer's control; or
- Acts of third parties, acts of God, accident, fire, lightening, power surges or outages, or other hazards.

## Warranty Exclusive

IF A POLYCOM PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, CUSTOMER'S SOLE REMEDY FOR BREACH OF THAT WARRANTY SHALL BE REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION. TO THE FULL EXTENT ALLOWED BY LAW, THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, TERMS, OR CONDITIONS, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES, TERMS, OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY, CORRESPONDENCE WITH DESCRIPTION, AND NON-INFRINGEMENT, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. POLYCOM NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS.

## **Service Agreements**

Contact your Poly Authorized Reseller for information about service agreements applicable to your product.

## **Safety, Compliance, and Disposal Information**

- This equipment is intended for indoor use only.
- Always disconnect the system from power before cleaning or servicing.
- In order to remove all power from this unit, disconnect the main power supply cord.
- Do not spray liquids directly onto the system when cleaning. Always apply the liquid first to a static-free cloth.
- Do not immerse the system in any liquids or place any liquids on it.
- Do not disassemble this system. To maintain the warranty on the system, a qualified technician must perform service or repair work.
- There are no user serviceable parts inside this product.
- This product is intended to be powered by an external (LPS) power supply - use only the type which is supplied with this product.
- Do not use a power cord that is damaged. This could cause fire or electric shock. Contact the manufacturer for a replacement cord, if necessary.
- Only use a power cord which is appropriately rated and approved relevant to the country of use.
- This equipment is not intended to be operated by children.
- When connecting to the main power supply, connect only to an earthed supply outlet that is installed near the equipment and is easily accessible.
- Keep ventilation openings free from any obstructions.

## ***Installation Instructions***

Installation must be performed in accordance with all relevant national wiring rules.

L'Installation doit être exécutée conformément à tous les règlements nationaux applicable au filage électrique.

When using Power over Ethernet (PoE), the equipment is to be connected only to PoE networks without connections to the outside plant. PoE output is compliant with IEEE 802.3af PSE standard, and rated maximum output power of 15.4W.

## ***Plug Acts as Disconnect Device***

The socket outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible.

La prise électrique à laquelle l'appareil est branché doit être installée près de l'équipement et doit toujours être facilement accessible.

In addition, all PoE sources must meet the Limited Power Source requirements of IEC 60950-1:2005 (2nd Edition); Am1:2009 or IEC 60950-1:2005 (2nd Edition); Am1:2009; Am2:2013; EN 62368: 2014 + AC: 2015.

En outre, toutes les sources d'entrée doivent obligatoirement répondre aux exigences Source d'alimentation limitée de la CEI 60950-1: 2005 (2e édition); Am1:2009 ou IEC 60950-1: 2005 (2e édition); Am1:2009; AM2:2013; EN 62368: + AC: 2015.

## USA

### ***Part 15 FCC Rules***

#### ***Class B Digital Device or Peripheral – Poly Trio C60, Poly Trio C60 ND, and Poly Trio C60 NR Systems***

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

#### **Poly Trio C60 FCC ID: M72-TC60FR:**

This device is compliant with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interferences received, including interference that may cause undesired operation.

In accordance with part 15 of the FCC rules, the user is cautioned that any changes or modifications not expressly approved by Polycom Inc. could void the user's authority to operate the equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules and of FCC Part 15D.

**Poly Trio C60 ND FCC ID: M72-TC60ND:**

This device is compliant with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interferences received, including interference that may cause undesired operation.

In accordance with part 15 of the FCC rules, the user is cautioned that any changes or modifications not expressly approved by Polycom Inc. could void the user's authority to operate the equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules.

**FCC Caution:** Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules.

## ***Modifications***

In accordance with Part 15 of the FCC Rules, the user is cautioned that any changes or modifications not expressly approved by Polycom, Inc. could void the user's authority to operate the equipment. This equipment may not be used on a coin service or party line.

## ***Radiation Exposure Statement***

The antenna used for this transmitter must be installed to provide a separation distance of at least 20 centimeters from all persons and must not be co located or operating in conjunction with any other antenna or transmitter. This device with its antenna complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. To maintain compliance, this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

---

**Note:** This does not apply to the Poly Trio C60 NR system.

---

---

## FOR MOBILE DEVICE USAGE (>20cm/low power)

### ***Radiation Exposure Statement:***

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

FOR COUNTRY CODE SELECTION USAGE (WLAN DEVICES)

---

**Note:** This does not apply to the Poly Trio C60 NR system.  
The country code selection is for non-US models only and is not available to all US models. Per FCC regulation, all Wi-Fi products marketed in US must be fixed to US operation channels only.

---

## Canada

### ***Industry Canada Statement***

#### **Poly Trio C60 IC Certification: 1849C-TC60FR:**

This device complies with RSS247 and RSS-213 of the Industry Canada rules and also with ISED's license-exempt RSS regulations. Operation is subject to the two following conditions:

- 1 This device does not cause harmful interference.
- 2 This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

#### **Caution:**

(i) The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

(iv) Where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

#### **Avertissement:**

Le guide d'utilisation des dispositifs pour réseaux locaux doit inclure des instructions précises sur les restrictions susmentionnées, notamment :

(i) Les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;

(iv) Lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3, doivent être clairement indiqués.

**Poly Trio C60 ND IC Certification number: 1849C-TC60ND:**

This device complies with RSS247 of the Industry Canada rules and also with ISED's license-exempt RSS regulations. Operation is subject to the two following conditions:

- 1 This device does not cause harmful interference.
- 2 This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

**Caution :**

(i) The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

(iv) Where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

**Avertissement:**

Le guide d'utilisation des dispositifs pour réseaux locaux doit inclure des instructions précises sur les restrictions susmentionnées, notamment :

(i) Les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;

(iv) Lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3, doivent être clairement indiqués.

## **FOR MOBILE DEVICE USAGE (>20cm/low power)**

### **Radiation Exposure Statement:**

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

### **Déclaration d'exposition aux radiations:**

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à plus de 20 cm entre le radiateur et votre corps.

This Class [B] digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la Classe [B] est conforme à la norme NMB-003 du Canada.

- Trio C60 IC Certification: 1849C-TC60FR
- Trio C60 ND IC Certification number: 1849C-TC60ND

## **EEA**

### ***CE Mark***

Trio C60 and Trio C60 ND are both marked with the CE mark. This mark indicates compliance with Radio Equipment Directive (RED) 2014/53/EU, 2011/65/EU and 278/2009. Trio C60 ND is marked with the CE mark. This mark indicates compliance with 2014/35/EU , 2014/30/EU and 2011/65/EU.



# EU Declaration of Conformity: Trio C60 System

Poly Trio C60 system Radio Operating Frequency: 1881 – 1897MHz Max NTP(dBm) 21.6, 2412 – 2472MHz Max EIRP (dBm) 15.36, 5180 – 5700MHz Max EIRP (dBm) 16.91.



## Declaration of Conformity

In accordance with EN17050-1:2010

**EU Representative name and address:**

Plantronics B.V.  
Scorpius 171  
2132 LR Hoofddorp  
The Netherlands

Chamber of Commerce Amsterdam Registration  
Number: 33277402

[typeapproval@poly.com](mailto:typeapproval@poly.com)

We, Plantronics BV, declare under our sole responsibility that the following product(s), marketed under the "Plantronics", "Polycom" or "Poly" brands, are in conformity with 2014/53/EU, 2009/125 EC, EC1275/2008, EU 801/2013 and 2011/65/EU and carries the CE marking.

Model: Trio C60

These products have been designed and manufactured in accordance with the following European standards:

**EMC**

EN 301 489-1 V2.1.1  
EN 301 489-3 V2.1.1  
EN 301 489-6 V2.2.1  
EN 301 489-17 V3.1.1

**Radio**

EN 301 893 V2.1.1  
EN 300 328 V2.1.1  
EN 301 406 V2.2.2  
EN 62311:2008  
EN 50665:2017

**Safety**

EN 62368-1:2014 + A11:2017  
EN 60950-1:2006 + A1:2010 + A11:2009 + A12:2011 + A2:2013

**RoHS**

EN 50581:2012  
EN 63000:2018

**Energy Efficiency**

EN 50564:2011

CE Mark first applied to this product in May 2020

**Accessories:**

Microsemi PD-9001GC/AC POE Adaptor  
Trio C60 External Microphones

Monmouth, UK: 5<sup>th</sup> May 2020

*Place and Date of Issue*

Matthew Sykes  
Product Compliance Manager, Corporate Product Compliance  
(Name; function)

  
\_\_\_\_\_  
Signature

Matthew Sykes  
5/11/2020

For and on behalf of Plantronics B.V. Place of issue: Hoofddorp, Netherlands. DofC #TrioC60/05/05/2020

# EU Declaration of Conformity: Trio C60 ND System

Poly Trio C60 ND system Radio Operating Frequency: 2412 – 2472MHz Max EIRP (dBm) 15.89, 5180 – 5700MHz Max EIRP (dBm) 17.31.



## Declaration of Conformity

In accordance with EN17050-1:2010

**EU Representative name and address:**

Plantronics B.V.  
Scorpius 171  
2132 LR Hoofddorp  
The Netherlands

Chamber of Commerce Amsterdam Registration  
Number: 33277402

[typeapproval@poly.com](mailto:typeapproval@poly.com)

We, Plantronics BV, declare under our sole responsibility that the following product(s), marketed under the "Plantronics", "Polycom" or "Poly" brands, are in conformity with 2014/53/EU, 2009/125 EC, EC1275/2008, EU 801/2013 and 2011/65/EU and carries the CE marking.

Model: Trio C60 ND

These products have been designed and manufactured in accordance with the following European standards:

**EMC**

EN 301 489-1 V2.1.1  
EN 301 489-3 V2.1.1  
EN 301 489-17 V3.1.1

**Radio**

EN 301 893 V2.1.1  
EN 300 328 V2.1.1  
EN 62311:2008  
EN 50665:2017

**Safety**

EN 62368-1:2014 + A11:2017  
EN 60950-1:2006 + A1:2010 + A11:2009 + A12:2011 + A2:2013

**RoHS**

EN 50581:2012  
EN 63000:2018

**Energy Efficiency**

EN 50564:2011

CE Mark first applied to this product in May 2020

**Accessories:**

Microsemi PD-9001GC/AC POE Adaptor  
Trio C60 External Microphones

Monmouth, UK: 5<sup>th</sup> May 2020

*Place and Date of Issue*

Matthew Sykes  
Product Compliance Manager, Corporate Product Compliance  
(Name; function)



Signature

Matthew Sykes  
5/11/2020

For and on behalf of Plantronics B.V. Place of issue: Hoofddorp, Netherlands. DoFC #TrioC60ND/05/05/2020

# EU Declaration of Conformity: Trio C60 NR System



## Declaration of Conformity

In accordance with EN17050-1:2010

**EU Representative name and address:**

Plantronics B.V.  
Scorpius 171  
2132 LR Hoofddorp  
The Netherlands

Chamber of Commerce Amsterdam Registration  
Number: 33277402

[typeapproval@poly.com](mailto:typeapproval@poly.com)

We, Plantronics BV, declare under our sole responsibility that the following product(s), marketed under the "Plantronics", "Polycom" or "Poly" brands, are in conformity with 2014/35 EU, 2014/30 EU, 2009/125 EC, EC1275/2008, EU 801/2013 and 2011/65/EU and carries the CE marking.

Model: Trio C60 NR

These products have been designed and manufactured in accordance with the following European standards:

**EMC**

EN 55024:2010 / EN 55024:2010 + A1:2005  
EN 55032:2012  
EN 55032:2015 + AC:2016

**Safety**

EN 62368-1:2014 + A11:2017  
EN 60950-1:2006 + A1:2010 + A11:2009 + A12:2011 + A2:2013

**RoHS**

EN 50581:2012  
EN 63000:2018

**Energy Efficiency**

EN 50564:2011

CE Mark first applied to this product in May 2020

**Accessories:**

Microsemi PD-9001GC/AC POE Adaptor  
Trio C60 External Microphones

**Monmouth, UK: 5<sup>th</sup> May 2020**

*Place and Date of Issue*

Matthew Sykes  
Product Compliance Manager, Corporate Product Compliance  
(Name; function)

  
\_\_\_\_\_  
Signature

Matthew Sykes  
5/11/2020

For and on behalf of Plantronics B.V. Place of issue: Hoofddorp, Netherlands. DoFC #TrioC60NR/05/05/2020

A full copy of the Declaration of Conformity can be obtained from Plantronics B.V. Scorpius 171, 2132 LR Hoofddorp, The Netherlands.

For the full text of the EU declaration of conformity, contact the following email address:

[TypeApproval@poly.com](mailto:TypeApproval@poly.com).

## Japan VCCI

### VCCI – B

The following VCCI - B is for Poly Trio C60 and Poly Trio NR systems.

この装置は、クラスB機器です。この装置は、住宅環境で使用することを目的としていますが、この装置がラジオやテレビジョン受信機に近接して使用されると、受信障害を引き起こすことがあります。

取扱説明書に従って正しい取り扱いをして下さい。


**VCCI – B**

The Trio C60 is only approved to transmit indoors within the W52 and W53 bands for Japan:

- W52(5180MHz / 5200MHz / 5220MHz / 5240MHz)
- W53(5260MHz / 5280MHz / 5300MHz / 5320MHz)

This product cannot be connected directly to the telecommunications circuits (or public wireless LANs) of any telecommunication carriers (e.g., mobile communications carriers, fixed communications carriers, or internet providers). In the case of connecting this product to the Internet, be sure to connect it via a router.

## New Zealand Telepermit



## Australia

Warning: This equipment will not operate when main power fails.

## Operating Ambient Temperatures

- Operating temperature: +32 to 104°F (0 to 40°C)
- Relative humidity: 5% to 95%, noncondensing
- Storage temperature: –40 to +160°F (–40 to +70°C)

## Waste Electrical and Electronic Equipment (WEEE)



All Poly products that fall within the scope of the EU WEEE Directive carry the crossed wheelie bin symbol which advises customers not to recycle electronic products in the domestic waste stream but to recycle them safely as e-waste.

## Restriction of Hazardous Substances Directive

All Poly products comply with the requirements of the EU RoHS Directive. Statements of compliance can be obtained by contacting [TypeApproval@poly.com](mailto:TypeApproval@poly.com).

## Poly Take Back

In addition to any mandated take back requirement, Poly offers free recycling of its branded products to business users. Detailed information is available at

<https://www.polycom.com/content/www/en/company/about-us/the-environment.html>.

## Environmental

For the latest environmental information including Networked Standby Efficiency, Battery use and disposal, take back RoHS and Reach, please visit

<http://www.polycom.com/company/about-us/the-environment.html>.

## End of Life Products

Poly encourages you to recycle your end-of-life Poly products in an environmentally considerate way. We recognize our Extended Producer Responsibility (EPR), in accordance with the requirements of the European Waste Electronic and Electrical Equipment (WEEE) Directive 2012/19/EU.

All Poly products are marked with the crossed wheelie bin symbol shown below. Products that carry this symbol should be not be disposed of in the household or general waste stream. Further recycling information and detail of the options open to you, including our voluntary free global recycling service to ISO 14001 standard can be found at: <http://www.polycom.com/WEEE>.

The Poly Global Producer Responsibility Statement can be found in the Environment section of the [Poly](#) website.

# Getting Help and Copyright Information

---

## GETTING HELP

For more information about installing, configuring, and administering Poly/Polycom products or services, go to Polycom Support.

Plantronics, Inc. (Poly – formerly Plantronics and Polycom)  
345 Encinal Street  
Santa Cruz, California  
95060

© 2020 Plantronics, Inc. All rights reserved. Poly, the propeller design, and the Poly logo are trademarks of Plantronics, Inc. All other trademarks are the property of their respective owners.

## Patent Information

The accompanying product may be protected by one or more U.S. or foreign patents and/or pending patent applications held by Polycom, Inc.

## Disclaimer

This software is provided 'as is' with no explicit or implied warranties in respect of its properties, including, but not limited to, correctness and fitness for purpose.